

PROFESSIONAL SERIES 2024



dynamicmixers.com

# Dynamic celebrates 60 YEARS of excellence!

#### 1964

Establishment of the mechanical engineering company known as DYNAMIC in Monaco.

Manufacturing and marketing of juicers.

#### 1992

Invention of the high-capacity 20L salad spinner.

#### 1995

Introduction of the "little sister" - launching of the 10L model.

#### 2002

Opening of a second subsidiary in Germany.



Relocation of the company to Vence (06). DYNAMIC gradually specializes in blending and invents the professional mixers.

l'Originale I

#### 1974

Beginning of the marketing in Europe, starting with the United Kingdom, ...

#### 1982

DYNAMIC joins the Cholet-based NADIA GROUP.

#### 2000

Establishment of the Canadian subsidiary responsible for the North American market (USA, CANADA). Marketing of the DYNACUBE, the number one manual cutter worldwide.

#### 2001

Administrative management and a part of the production is transferred from Vence (06) to Mortagne-sur-Sèvre (85).

DYNAMIC marks its 60th anniversary by celebrating six decades of commitment to excellence. Today, more than half a century after its establishment, DYNAMIC stands as one of the world's most recognized and respected brands among professional chefs. Established through its subsidiaries in Germany and Canada since the early 2000s, and present in over 120 countries, DYNAMIC has gained global acclaim for the durability of its products and its unique MADE IN FRANCE expertise.

**Our strength**: A human-sized company, artisanal expertise built upon experienced men and women, and a constant pursuit of innovation.

**Our goal :** to provide robust, high-performing, and innovative equipment to meet chefs and cooks' high expectations in their professional environment.

60 years by your side to share our values and our commitment to excellence. The story is far from over; we will continue to nurture this shared spirit of determination to build a strong future together. We want to express our heartfelt gratitude for your presence by our side for the past 60 years!

2015

Introduction
of the homogenizing
blender tool to the market.

2019

Launch of table top food processors & vegetable slicers range.



2009

Launch of the TURBO LIQUIDIZER range for high quantity preparations.

2016

Launch of the DYNAMIX NOMAD, the only wireless professional mixer.

2020

The 5L salad spinner completes the manual salad spinner product range.

2021

Closure of the Vence (06) site. All production is now located in Mortagne-sur-Sèvre (85).

# **NEW**

The Dynamix® is getting a makeover IN 2024, in celebration of its 60TH ANNIVERSARY.





## The acclaimed Franco-Australian pastry chef Richard HAWKE places his trust in us.

His top choice from DYNAMIC®: The MD95 hand blender with variable speed.

Why? The MD95 is ideal for the emulsion technique, a fundamental aspect of pastry. It features an emulsifying blade (4 blades, including one curved) that streamlines the emulsification process. The potency of its motor with variable speed enables effective and swift work.

Thanks to him!



Committed to preserving French expertise, fostering local employment, and maintaining its production facilities in France, DYNAMIC designs and manufactures its mixers, salad spinners, vegetable slicers, and other product lines in Mortagne-sur-Sèvre, Vendée.



Across these two sites covering over 6000 square meters, 75% of the manufactured appliances are electric, while 25% are manual. DYNAMIC has an integrated production process and selects the finest materials to ensure high-quality, reliable, and robust appliances.



R & D

Assembly





Injection

Customer Service



## COMMITTED to the juture

Aware of its responsibility for the future, NADIA GROUP (650 employees), of which DYNAMIC is a part, has been committed to a Corporate Social Responsibility (CSR) approach since 2021.

Our goal is to contribute to sustainable development by embracing effective practices that consider the social, environmental, and economic effects of our actions.





# Designed to be REPAIRED

Our products are designed to be easily repairable, disassembled, and reassembled. DYNAMIC is committed to ensuring that its products are repairable for 10 years in France and worldwide, and guarantees the immediate availability of spare parts.

A rigorous renewal and stock monitoring process ensures quick supply to every customer around the world. All spare parts are manufactured in our production sites according to the standards set by the RoHS Directive, which stipulates the non-use of harmful substances.

## Certified PRODUCTS

All products manufactured in our facilities in Mortagne sur Sèvre (85) comply with the essential requirements of IEC, CE, and NSF standards.

These stringent quality requirements in terms of safety and standardization ensure that each user receives consistently high-performing, quality products.



The CE marking is a symbol of quality, safety, and reliability. It ensures that an independent authority has verified the compliance of our products with regulatory requirements, allowing for their free circulation throughout the EU territory.



Certification to NSF standards provides proof that our equipment complies with the requirements of the 'US FDA FOOD CODE'.



The IEC standard defines requirements, specifications, guidelines, or characteristics to which systematic adherence ensures that materials, products, processes, and services can be used safely and are suitable for their intended purpose.





### 4 Jarrantied PRODUCTS

Each DYNAMIC product comes with an instruction and warranty manual. In this document, you will find all our guidance for starting, using, and maintaining your appliance to ensure their long-lasting usage.

# Dynamic, a committed COMPAGNY



# Recyclable PRODUCTS

DYNAMIC has implemented in France a take-back and treatment system for end-of-life electrical and electronic equipment (WEEE), in accordance with the provisions of Decree No. 2012/19/CE of July 4, 2012.

This applies, as stipulated by the decree, to equipment introduced to the market after August 13, 2005. The cost of end-of-life equipment processing is included in the sales prices. For more information, please contact DYNAMIC France.

Our products are recyclable, and each site is equipped with a collection and recycling protocol.

# An eco-responsible POLICY

DYNAMIC is committed to an eco-responsible policy from the sourcing of its purchases to waste management:



By favoring geographical proximity



Through dematerialization



Through eco-design



Through waste sorting and valorization



# THAN 50 EMPLOYEES

are committed to providing you with a unique expertise






Global network



Recommended by professionals



Culture of innovation





# Dynamic is represented in \$\Partial 120 COUNTRIES



#### **NORTH AMERICA**

#### **USA / Canada**

Tel.: +1-800-267-7794 - +1-514-956-0127 Fax: +1-877-668-6623 - +1-514-956-8983 info@dynamicmixers.com



#### Canada

Montreal, Quebec 3227 Boul. pitfield - H4S-1H3 www.dynamicmixers.ca



1320 route 9 # 1352 Champlain, NY - 12919


www.dynamicmixersusa.com



der NADIA GROUP GMBH

Tel. +49 (0)7851 886 45-0 Fax +49 (0)7851 886 45-32 info@dynamic-professional.de

Robert-Koch-Strasse 7 77694 Kehl www.dynamic-professional.de



## SERIES

**PROFESSIONNAL SERIES** 

For your professions

COMMERCIAL CATERING



Dynamix® Series	PAGE 18 to 25
Junior Series	PAGE 26 to 29
Electrical vegetable slicer	
range	PAGE 52 to 55

Food processor range	PAGE 56
Dynacube Series	PAGE 58
Salad spinner Series	PAGE 60

# COLLECTIVE CATERING




Master Series	PAGE 34 to 39
SMX Series	PAGE 40 to 43
Ricer tool Series	PAGE 44
Turbo liquidizer Series	PAGE 46 to 51

Electrical vegetable slicer	
range	PAGE 52 to 55
Food processor range	PAGE 56
Salad spinner Series	PAGE 60

# **BAKERS & PASTRY CHEFS**



Mini MD95 Series	PAGE 16
Dynamix® Series	PAGE 18 to 25
Junior Series	PAGE 26 to 29



Mini MD95 Series	PAGE 16
Dynamix® Series	PAGE 18 to 25
Junior Series	PAGE 26 to 29

# **BUTCHERS & CATERERS**



Dynamix® Series	PAGE 18 to 25
Junior Series	PAGE 26 to 29
Master Series	PAGE 34 to 39
Electrical vegetable slicer	
range	PAGE 52 to 55

Food processor range	PAGE 56
Dynacube series	PAGE 58
Salad spinner Series	PAGE 60

# Since 1964 60 YEARS of expertise



# Table of contents

#### PROFESSIONNAL CATALOGUE 2024

Since 1964	p. 2
Our expertise and commitment	p. 6
Global network	p. 10
Our ranges for your professions	p. 12
Mini MD95	p. 16
Dynamix® DMX	p. 18
Dynamix® Nomad	p. 20
Dynamix® DMX V2	p. 22
Accessories & Packs Dynamix®	p. 24
Junior	p. 26
Accessories & Packs Junior	p. 29
Senior	p. 30
Accessories & Packs Senior	p. 33
Master	p. 34
Accessories & Packs Master	p. 39
SMX	p. 40
SMX accessories	p. 43
Ricer tool	p. 44
Turbo liquidizer	p. 46
Turbo liquidizer accessories	p. 50
Combined & Vegetable Slicers	p. 52
Accessories & Packs	p. 54
Table top food processor & Blend&Mix	p. 56
Manual vegetable slicer	p. 58
Salad spinners	p. 60
Various	p. 62
Mixers supports	p. 64
News, online store & Customer Service	p. 66
General sales conditions	p. 67

# MINI MD95

**PROFESSIONNAL SERIES** 

MONOBLOCK EQUIPMENT | 250 W | 1 to 8 L



Recommended by the famous chocolate school VALRHONA.

A small and robust appliance.



#### + Robustness

Monobloc, stainless steel attachment, and stainless steel blades with Titanium coating. Ultra-resistant, optimizing its durability over time for intensive use

#### + Safety

Unlocking safety feature.

#### + Usability


Enhanced usability is provided by its ergonomic grip and perfectly balanced weight, thanks to high-tech materials


#### + Hygiene

Stainless steel immersion tube and bell for perfect hygiene

#### + Knife

2 or 4 blades.









1 TO 8 L

--- 160 mm

Knife
Output
Total length
Shaft length
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

4 blades / 2 blades 250 W 445 mm 160 mm 55 mm 1,2 kg / 1,5 kg 11 500

MX008 / MX010

### DYNAMIX

**PROFESSIONNAL SERIES** 

DETACHABLE EQUIPMENT | 220 / 250 W | 1 to 8 L



Specially designed for small preparations, sauces, and emulsions.



+ Performance

Special tools for a smooth mix.

**★** Robustness

Stainless steel foot.

+ Usability

Quickly accessible speed control.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

**→** Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, Blender accessory.

#### Dynamix® DMX 160 Blender









Hammer
Output
Total length
Shaft length
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

Star-shaped 220 W 395 mm 160 mm 35 mm 1,2 kg / 1,5 kg 3 000 to 13 000

MX100

#### Dynamix® DMX 190









Knife
Output
Total length
Shaft length
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

2 blades 220 W 395 mm 160 mm 55 mm 1 kg / 1,2 kg 3 000 to 13 000 MX050







Knife
Output
Total length
Shaft length
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

4 blades 250 W 425 mm 190 mm 66 mm 1 kg / 1,5 kg 3 000 to 13 000 MX090

## NOMAD

**PROFESSIONNAL SERIES** 

DETACHABLE EQUIPMENT | 2 000 mAh 12 Vdc | 1 to 8 L



Wireless, the freedom of movement in the kitchen.



+ Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

COMPLIANT CE WITH STANDARDS



#### Dynamix® Nomad 160\*

#### Dynamix® Nomad 190\*





Knife
Output
Total length
Tube length + bell
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

2 blades 2 000 mAh 12Vdc 450 mm 160 mm 55 mm 1,1 kg / 1,9 kg 10 000 MX130 Knife
Output
Total length
Tube length + bell
Bell diameter
Weight / Packaged
Speed R.P.M
Item code

2 blades 2 000 mAh 12Vdc 480 mm 190 mm 66 mm 1,5 kg / 2,2 kg 10 000 MX140

\* Others accessories (except blender) available separately.



Compact size and low battery weight for effortless work. Quick and easy remplacement.



Delivered with a charger lithium-ion battery. (Charging time 45 minutes)

#### Charger

Item code

AC590

#### Battery

Item code

AC585

### DYNAMIX® V2

**PROFESSIONNAL SERIES** 

DETACHABLE EQUIPMENT | 220 / 250 W | 1 to 8 L



Two speeds for ultra-fast adjustment.



Performance

2 speeds (8 000 rpm and 13 000 rpm).

+ Robustness

Stainless steel foot.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

★ Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, Blender accessory.

#### Available in 3 colors

orange color in standard



#### Dynamix® 160 V2

Orange / Black

Item code

Red / Black

Item code

White / Black

Item code

MX055

MX056

MX057

#### Dynamix® 190 V2

Orange / Black

Item code

Red / Black

Item code

White / Black

Item code

MX095

MX096

**MX097** 

#### Dynamix® DMX 160 V2\*





Knife
Output
Total length
Shaft length
Bell diameter
Weight/ Packaged
Speed 1 R.P.M
Speed 2 R.P.M
Item code

2 blades 220 W 395 mm 160 mm 55 mm 1 kg / 1,2 kg 8 000 13 000

According to colors

#### Dynamix® DMX 190 V2\*



Knife
Output
Total length
Shaft length
Bell diameter
Weight / Packaged
Speed 1 R.P.M
Speed 2 R.P.M
Item code

2 blades 250 W 425 mm 190 mm 66 mm 1,2 kg / 1,5 kg 8 000 13 000

According to colors

<sup>\*</sup> Others accessories available separately.

# Hccessories and packs

Accessories available separately.













#### BM Dynamix®

Output Item code BM 160 BM 190 220 W 250 W AC514 AC515



2 blade 4 blade knife



knife

Skimmer disc



2 M160 M190 M Shake 190 Adaptable with the graduated bowl Knife 2 blades 4 blades 4 blades 3 000 / 13 000 3 000 / 13 000 3 000 / 13 000 Speed R.P.M Mixer head diameter 55 mm 66 mm 66 mm AC530 Item code AC521 AC550 Capacity 1 to 4 liters 1 to 8 liters 1 to 8 liters

	Blender Dynamix <sup>®</sup>	Whisk Dynamix®	Ricer tool	Blade pack
Speed R.P.M Item code	3 000 / 13 000 AC560	600 / 2 500 AC516	70 / 300 AC517	- AC540
Capacity	1 to 4 liters	1 to 4 liters	1 to 5 kg	-







Speed R.P.M

Item code

Capacity

















**Cutter bowl** Dynamix®

> 600 / 2 500 AC518

Graduated bowl Dynamix®

AC510

1 liter

Stainless steel jug Dynamix® Suitable induction

AC513 3 liters





#### **Dynamix**® Combi 160

1 Motor block 1 Mixer tool Knife 1 Whisk tool Item code

220 W 160 mm

2 blades 185 mm

MF052

#### 1+2+6+7

#### Dynamix® Trio 160

1 Motor block 220 W 1 Mixer tool 160 mm Knife 2 blades 1 Whisk tool 185 mm 126 mm 1 Ricer tool MF050 Item code

## JUNIOR

**PROFESSIONNAL SERIES** 

MONOBLOCK EQUIPMENT | 270 W | 1 to 25 L



the lightest on the market in its category.



+ Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

+ Usability

Variable speed easily switchable.

+ Hygiene

Detachable mixer tool, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, Blender accessory.

+ Safety

Unlocking safety feature.



#### Junior MX 225







Knife Output Total length Shaft length Weight / packaged Speed R.P.M Item code

2 blades 270 W 505 mm 225 mm 1,7 kg / 2 kg 12 000

MX020 / MX020.V

#### **Junior Whisk**









Output Total lenght Shaft length Weight / Packaged Speed R.P.M Item code

270 W 500 mm 185 mm 1,4 kg / 1,7 kg 300 to 2 000

FT005

# JUNIOR

PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 270 W | 1 to 25 L



#### **BM Junior**



Output Item code 270 W

AC100



# Hccessories and packs

Accessories available separately.



Speed R.P.M Capacity Item code

M225 3 000 / 12 000 5 to 25 liters AC101

M300 3 000 / 12 000 5 to 25 liters AC105

**Blender** Junior 3 000 / 12 000 1 to 10 liters AC066

Whisk **Junior** 600 / 2 500 1 to 5 liters AC102

Ricer tool **Junior** 70 / 300 1 to 10 kg AC103

**Cutter bowl Junior** 600 / 2 500 0,8 liters AC104



**Junior COMBI 225** 

1 Motor block 1 Mixer tool Knife 1 Whisk tool Item code

270 W 225 mm 2 blades 185 mm MX022



**Junior DMX 225** 1 Motor block 270 W 1 Mixer tool 225 mm

2 blades Item code MX021.V

Knife



**Junior DMX 225 Blender** 270 W

Blender 225 mm Star shaped hammer MX110

## SENIOR

**PROFESSIONNAL SERIES** 

DETACHABLE EQUIPMENT | 350 W | 20 to 40 L



An ideal solution for traditional and collective catering.



+ Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

+ Usability

Variable speed easily switchable.

+ Hygiene

Detachable accessories for easy cleaning.

+ Comfort

Lightness for easy use.

Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool.

+ Safety

Unlocking safety feature.





#### Senior MX 300











Knife Output Total length Shaft length Weight / Packaged Speed R.P.M Item code

3 blades 350 W 600 mm 300 mm 2,4 kg / 2,9 kg 9 500

MX007 / MX007.V

COMPLIANT WITH STANDARDS





# SENIOR

- PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT  $\mid$  350 W  $\mid$  5 to 40 L



#### **BM Senior**




Output Item code 350 W

AC005



# Accessories and packs

Accessories available separately.



Speed R.P.M Capacity Item code M300 2 800 / 9 500 20 to 40 liters AC006

M400
2 800 / 9 500
20 to 40 liters
AC016

Whisk Senior 300 / 900 5 to 20 liters AC007 Acoustic Aco

Cutter bowl inox Senior 400 / 1 500 5 liters AC055



1 Motor block 1 Mixer tool Knife 1 Whisk tool Item code 350 W 300 mm 3 Blades 205 mm MF003



1 Motor block 1 Mixer tool Knife Item code Senior DMX 300

350 W 300 mm 3 blades MX006

# MASTER

**PROFESSIONNAL SERIES** 

MONOBLOCK EQUIPMENT | 600 W | 5 to 100 L





Performance

Special tools for a smooth mix.

+ Robustness

Stainless steel foot.

+ Usability

Variable speed easily switchable.

+ Hygiene

Detachable foot and bell without tools, tube and bell 100% in stainless steel for easy cleaning.

+ Comfort

Lightness for easy use.

+ Versatility

Various accessories, whisk, Dynacutter bowl, ricer tool, blender foot.

+ Safety

Unlocking safety feature.

COMPLIANT CE  $\oplus$ 











 Knife
 3 blades

 Output
 600 W

 Total length
 715 mm

 Shaft length
 410 mm

 Weight / Packaged
 3,4 kg / 3,8 kg

Speed R.P.M 10 500

Item code MX005 / MX005.V

#### Master MX 91-500



Knife 3 blades
Output 600 W
Total length 800 mm
Shaft length 500 mm
Weight / Packaged 3,6 kg / 4 kg
Speed R.P.M 10 500

Item code MX045 / MX045.V

#### Master MX 410









Knife
Output
Total length
Shaft length
Weight / Packaged
Speed R.P.M
Item code

3 blades 600 W 720 mm 410 mm 3,5 kg / 4,1 kg 10 500

MX004 / MX004.V

**Master Whisk** 











Output
Total length
Length. Whisk
Weight / Packaged
Speed R.P.M
Item code

600 W 650 mm 245 mm 3,3 kg / 3,7 kg 300 to 900 FT001

# MASTER

— PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT | 600 W | 5 to 100 L







#### Fully removable mixer foot and bell

For easy cleaning, maintenance and perfect hygiene. All stainless steel for increased durability of your attachment. Dishwasher proof. This DYNAMIC exclusive system complies with HACCP requirements.



















1 Motor block 1 Mixer tool Knife 1 Whisk tool 1 Ricer tool Item code

0 + 2 + 3

MF002.H

0+2+3+4Master Combi 410.H Master Trio 410.H

MF001.H

600 W 600 W 410 mm 410 mm 3 blades 3 blades 245 mm 245 mm 420 mm





### Master DMX 410 Blender

1 Motor block 1 Mixer tool Hammer Item code

600 W 410 mm Star shaped MX120







### Master DMX 410.H

1 Motor block 1 Mixer tool Knife Item code

600 W 410 mm 3 blades

MX003.H

# M A S T E R PROFESSIONNAL SERIES



### **BM Master**





Output Item code

600 W AC001





Speed R.P.M Capacity Item code

FM420 FM600 M410.H M410.HC M500 FM700 **Cutter bowl** 3 000 / 10 500 3 000 / 10 500 3 000 / 10 500 100 / 600 100 / 600 100 / 600 400 / 1 500 20 to 100 L 20 to 100 L 20 to 100 L 20 to 200 L 20 to 200 L 20 to 200 L 5 L AC002.H AC002.HC AC500 AC202 AC200 AC201 AC055



# SMX

**PROFESSIONNAL SERIES** 

MONOBLOCK / DETACHABLE EQUIPMENT 850 / 1000 W | 75 to 300 L



I feary-duty, designed for communities.



Performance

Special tools for a smooth mix.

Robustness

Stainless steel foot.

+ Hygiene

Completely removable foot and bell without tools. Tube and bell 100% stainless steel for easy cleaning.

+ Comfort

Easy use thanks to its support.

+ Safety

Unlocking safety feature.

Output

New motorization for a better output.

COMPLIANT  $\mathbf{C} \in \mathbb{Q}$ 





### SMX 600 Turbo





Knife Output Total length Shaft length Weight / Packaged Speed R.P.M Item code

3 blades 850 W 800 mm 530 mm 6,1 kg / 7,7 kg 11 000

**MX002T** 



Knife
Output
Total length
Shaft length
Weight / Packaged
Speed R.P.M
Item code

### SMX 700 Turbo

3 blades 925 W 870 mm 600 mm 6,5 kg / 8 kg 11 000 MX040T

### SMX 800 Turbo

3 blades 1 000 W 960 mm 680 mm 6,7 kg / 8,2 kg 11 000 MX001T

### **SMX Blender Turbo**

Star shaped hammer 1 000 W 860 mm 580 mm 6,7 kg / 8,2 kg 11 000 MX125T

# SMX

- PROFESSIONNAL SERIES

DETACHABLE EQUIPMENT |  $1000 \ W$  |  $75 \ to \ 300 \ L$ 



### **BM SMX Turbo**



Output Item code 1 000 W

AC052T











Accessories

Accessories available separately.



Attachment Attachment Blender M300 CC **Blender CC** 700 Turbo **SMX Turbo** 800 Turbo **SMX Turbo SMX Turbo** Speed R.P.M 11 000 11 000 11 000 11 000 11 000 Item code AC075T AC076T AC072T AC250T AC255T

## RICER TOOL

PROFESSIONNAL SERIES



# **ADVANTAGES**

- + Robustness
  Stainless steel foot.
- **+ Hygiene**In compliance with HACCP recommendations.
- + Safety
  Unlocking safety feature.

MONOBLOCK EQUIPMENT 20 to 100 kg



Output
Total lenath
Weight / Pack.
Speed R.P.M
Item code

PP520	PP300
650 W	650 W
870 mm	600 mm
4,9 kg / 5,9 kg	4,7 kg / 5,7 kg
500	500
PP001	PP003

## DETACHABLE EQUIPMENT 20 to 100 kg





PP520 plus

Output
Total length
Weight / Pack.
Speed R.P.M
Item code

650 W 870 mm 4,9 kg / 5,9 kg 150 to 500 PP002 Accessories

Accessories available separately.



Variable speed

**BM PP** 

Output Item code 650 W AC221





40 TO 100 L

Ricer tool PP

Speed R.P.M Item code 150 / 500

AC220

FM PP

150 / 500 AC208

# GIGAMIX XS

**PROFESSIONNAL SERIES** 

TURBO LIQUIDIZER  $\mid$  1,5 / 2,2 Kw 40 to 300 L



Compact design, large capacity!



### + Comfort

Enhanced maneuverability thanks to the brake wheels and easy to store due to its convenient size.

### Usability

Compact, minimum space requirement.

### + Hygiene

100% stainless steel for easy cleaning.

COMPLIANT CE



### **CONTACT US**

for more information



Footprint drawing



Gigamix XS Blender Three-phased

2 800 400 V, three-phased + neutral, 50 Hz 230 V, single-phased, 50 Hz 1,5 Kw

TB120

Gigamix X\$ Blender Single-phased

2 800

1,5 Kw

TB120.2

Voltage Output Item code

Speed R.P.M

47

# GIGAMIX

**PROFESSIONNAL SERIES** 



For your very large preparations.



+ Comfort

Enhanced maneuverability thanks to the brake wheels.

+ Versatility

Various accessories.

+ Usability

Easy storage.

- + Hygiene
  100% stainless steel for easy cleaning.
- → Output Powerful motor of 2,2 KW.
- Performance time saving and maximum operating speed.



OPTIONAL Variable speed control 2800 / 4000 R.P.M. Option compulsory for single-phase. Factory installed only. Item code TB010







### Standard Version

	Gigamix 460-500	Gigamix 460-500 V.V Variable speed included	Gigamix Blender	Gigamix Blender V.V Variable speed included
Mixer attachment only		570 mm	570 mm	570 mm
Speed R.P.M	4 000	2 800 / 4 000	4 000	2 800 / 4 000
Voltage*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*
Output	2,2 Kw	2,2 Kw	2,2 Kw	2,2 Kw
Item code	TB001	TB002	TB020	TB021

	Lowere	d Version	Removable Version		
	Gigamix 460-210	Gigamix 460-210 V.V Variable speed included	Gigamix DMX	Gigamix DMX V.V Variable speed included	
Mixer attachment only		570 mm	570 mm	570 mm	
Speed R.P.M	4 000	2 800 / 4 000	4 000	2 800 / 4 000	
Voltage*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	400 V, three-phased + neutral, 50 Hz	400 V, three-phased + neutral, 50 Hz*	
Output	2,2 Kw	2,2 Kw	2,2 Kw	2,2 Kw	
Item code	TB005	TB006	TB008	TB009	

# Accessories

Accessories available separately.













Blender Gigamix

Potato tool masher Variable speed compulsory

Speed R.P.M Length Diameter Item code Whisk Gigamix Variable speed compulsory

800 / 1 600 2 800 / 4 000 410 mm 93 mm 170 mm 98 mm TB014 TB004

Speed R.P.M Length Diameter Item code Mixer tool Gigamix

2 800 / 4 000

133 mm

800 / 1 600 250 mm 165 mm TB013

280 mm TB012

5 Gigamix bell for bratt pan

**o** Extension arm

Length
Item code

300 mm

TB012.2 TB015

### Dyna pump

With its innovative process, DYNAMIC transfer pump is perfectly adapted to the GIGAMIX blender attachment and allows the effortless and fast transfer of the mixed food preparation into packaging areas or to simply empty the pot quickly.

The DYNAPUMP allows to transfer 100 liters of water (for information, the viscosity of water is equal to 1 centipoise) in 1 minute at maximum speed (4000 rpm)



Gigamix gun
Optional

Item code

TB040



Dynapump Gigamix
Adaptable to the blender attachment only

Diameter

178 mm

Item code

TB030

Empty your pots in a few minutes!





Compatible with the blender attachment only.

# COMBINED & VEGETABLE SLICERS —— PROFESSIONNAL SERIES

UNTIL 300 KG PER HOUR, SUITABLE FOR 400 COVERS PER SERVICE



l) ith a wide selection of stainless steel discs.



+ Hygiene

All accessories are dishwasher safe

+ Comfort

Silent motor: 50Db without vibrations

+ Usability

Designed to be used by right and left-handed

+ Performance

increased productivity thanks to large discs (largest diameter on the market)

COMPLIANT CE





Vegetable Slicer Speed R.P.M. 320 & 640 Food Processor Speed R.P.M.

**Functions** 

Output

Item code

Combined 2 Speeds

1 500 & 3 000

Pulse & Reverse\*

1 100 W

CL312

Combined Variable Speed

320 to 720 350 to 3 500

Pulse & Reverse\*

1 100 W

CL322

**Combined VS** Digital display screen

320 to 720 350 to 3 500

Pulse, Reverse\*,

Timer\*, Countdown timer\*

1 100 W

CL350

\* Food processor only.



	Vegetable slicer 1 Speed	Vegetable slicer 2 Speeds	Vegetable slicer VS Control panel	Vegetable slicer VS Screen Digital display screen
Speed R.P.M	320	320 and 640	320 to 720	320 to 720
Functions	-	-	Pulse	Pulse
Speed	-	-	5 levels	5 levels
Output	1 100 W	1 100 W	1 100 W	1 100 W
Item code	CL100	CL110	CL121	CL150

# Accessories

Accessories available separately.



### Slicing disc

Item code	
CL1005	0,5 mm
CL1015	1,5 mm
CL1025	2,5 mm
CL1030	3 mm
CL1040	4 mm
CL1050	5 mm
CL1070	7 mm
CL1080	8 mm
CL1090	9 mm
CL1110	11 mm
CL1120	12 mm
CL1130	13 mm

### Julienne disc

Item code	
CL3032	3x2 mm
CL3042	4x2 mm
CL3044	4x4 mm
CL3055	5x5 mm
CL3052	5x2 mm
CL3088	8x8 mm
CL3010	10x10 mm



### **Grating disc**

Item code	
CL2002	2 mm
CL2003	3 mm
CL2005	5 mm
CL2009	9 mm



 Item code

 CL4008
 8x8 mm

 CL4010
 10x10 mm





French fries set

Item code **CL5008** 

8x8 mm



Item code

CL7000





Accessories available separately.

### Complete Vegetable Slicer kit Cover, pusher handle, tray.

Item code

CL9000



### Complete food processor kit Bowl, lid, smooth blade

Item code

CL9001



### **Collective Catering PACK**

- + 4 slicing discs: 0,5 mm, 2,5 mm, 5 mm and 11 mm
- +2 grating discs: 2 mm and 5 mm
- +2 julienne discs: 4x4 mm and 10x10 mm

Item code CL6003



### **Brasserie / Catering PACK**

- + 3 slicing discs: 1,5 mm, 3 mm and 5 mm
- + 1 grating disc : 2 mm
- + 3 julienne discs: 4x4 mm, 8x8 mm and 10x10 mm

Item code

CL6002



### **Buffet PACK**

- + 3 slicing discs: 1,5 mm, 3 mm and 5 mm
- + 1 grating disc: 2 mm

Item code CL6001



### Pizza PACK

- + 2 slicing discs: 2,5 mm and 4 mm
- + 1 grating disc: 5 mm

Item code CL6000

TABLE TOP FOOD PROCESSOR BLEND & MIX
——PROFESSIONNAL SERIES

FROM 100G TO 4KG, SUITABLE FOR 20 TO 100 COVERS PER SERVICE



Emulsify, mix, and chop in a few seconds.



+ Hygiene All accessories are dishwasher safe

+ Comfort

Silent motor: 50Db without vibrations





Food Processor VS Food Processor VS Screen Food Food **Processor Processor** Control panel Digital display screen 1 Speed 2 Speeds Convertible into a vegetable Convertible into slicer a vegetable slicer Speed R.P.M 1 500 & 3 000 350 to 3 500 350 to 3 500 1 500 **Functions** Pulse & Reverse Pulse & Reverse Pulse & Reverse, timer & countdown timer Speed 10 levels 10 levels Output 1 100 W 1 100 W 1 100 W 1 100 W Item code **CL222 CL200 CL212 CL250** 





### **FUNCTION 2 IN 1**

Ideal for soft diet preparations
Delivered with a standard blade
and a micro-serrated blade

**Blend & Mix VV Screen** 

	DIETIC & IVIIX 2V	Control panel	Digital display screen
Speed R.P.M	1 500 & 3 000	350 to 3 500	350 to 3 500
Functions	Pulse & Reverse	Pulse & Reverse	Pulse & Reverse, timer & countdown timer
Speed	-	10 levels	10 levels
Output	1 100 W	1 100 W	1 100 W
Item code	CL412	CL422	CL450





Serrated blade

Item code CL8002



Micro-serrated blade

Item code

CL8003

# DYNACUBE

**PROFESSIONNAL SERIES** 

MANUAL VEGETABLE SLICER
30 to 50 kg/H



M<sup>0</sup>1 manual vegetable slicer in the world.



- + Fast
  Quick installation.
- + Hygiene
  Easy to clean.
- Comfort Easy transport and storage.
- Versatility Specific tools to allow different cuts.
- Safety No direct contact with the blade.

COMPLIANT CE







Diameter Total height Weight / Packaged Item code

0+2 0+0Dynacube Dynacube + grids 5,5x5,5 + pusher

+ grids 7x7 + pusher

400 mm 330 mm 3,1 / 4,4 kg CL005

0+4**Dynacube** 

+ grids 8,5x8,5 + pusher 400 mm 330 mm

400 mm 330 mm 3,1 / 4,4 kg 3,1 / 4,4 kg CL003 CL006

0+6

**Dynacube** + grids 14x14 + pusher

400 mm 330 mm 3,1 / 4,4 kg **CL008** 

0+6Dynacube

+ grids 17x17 + pusher

400 mm 330 mm 3,1 / 4,4 kgCL009

400 mm

330 mm

**CL007** 

3,1 / 4,4 kg

Kit grids 5,5x5,5 Kit grids 7x7 + pusher + pusher

Kit grids 8,5x8,5

Kit grids 10x10 + pusher

Kit grids 14x14 + pusher

Kit grids 17x17

Item code

AC065 AC060 AC061

+ pusher

AC062

0+3

**Dynacube** 

+ grids 10x10

+ pusher

AC063

+ pusher

AC064

### SALAD SPINNERS

**PROFESSIONNAL SERIES** 

MANUAL & ELECTRIC | 5 to 20 L



Indulge in the originals!

Registered models



### + Hygiene

Anti-bacterial incorporated, complies with HACCP requirements.

### + Comfort

100% watertight to avoid water leakage.

### + Performance

Intensive use.

### + Robustness

Gear with a stainless steel pin incorporated.

COMPLIANT CE

### **EM98 Electric**





Diameter

With timeout (running time 1 min)

Item code

E003.T

Total height
Weight / Packaged
Output
Speed R.P.M
Recommended for
Item code

430 mm 630 mm 8,3 kg / 10 kg 200 W 500 3 to 5 lettuce heads E003





Item code

Stabilising base (E20 & E20 SC)

Set of gears for both (E10 - E20)

Set of gears (E20 SC)

AC019

2815.1

2815.2

### **E5SC Manual**

Sealed cover



Diameter
Total height
Weight / Packaged
Recommended for
Item code

275 mm 342 mm 1,6 kg 1 to 2 lettuce heads E007

### E10 Manual\*



Diameter
Total height
Weight / Packaged
Recommended for
Item code

330 mm 420 mm 2,4 kg / 3 kg 2 to 3 lettuce heads E001

### E20 Manual\*



Diameter
Total height
Weight / Packaged
Recommended for
Item code

430 mm 500 mm 3,6 kg / 4,8 kg 3 to 5 lettuce heads E002

### E20 SC Manual\* Sealed cover



Diameter
Total height
Weight / Packaged
Recommended for
Item code

430 mm 500 mm 3,6 kg / 4,8 kg 3 to 5 lettuce heads E004

# VARIOUS

**PROFESSIONNAL SERIES** 

100 TO 150 CITRUS FRUIT PER HOUR




Ideal for effortlessly juicing a large guantity of citrus fruits.



- Robustness Quiet and very sturdy.
- Usability Easy and quick dismantling and re-assembling for easy cleaning.





 Diameter
 220 mm

 Total height
 330 mm

 Output
 200 W

 Speed R.P.M
 1 500

 Weight
 3,7 kg

 Item code
 PA001



AC210

Manual whisk FMA 90

1 200 mm 1,1 kg 20 to 200 liters Manual whisk FMA 91

1 000 mm 1,1 kg 20 to 200 liters

AC211

Length Weight Capacity Item code





Pan support brackets (For your safety and your comfort.)

	SM 4	SM 6	SM 8	SM 10	SM 12	SA
Weight	1,9 kg	2,3 kg	2,6 kg	2,8 kg	3,2 kg	0,7 kg
Diameter	400 mm	600 mm	800 mm	1 000 mm	1 200 mm	Width of the pot rim 55 mm*
Item code	SM001	SM002	SM003	SM004	SM005	SM006

<sup>\*</sup> Maximum diameter of the pot

### Wall mounting brackets

**Servomix** 300 mm Length Depth 150 mm Height 800 mm Weight 18 kg SM060 Item code



Support Dynamix® orange or black

Item code SM030 / SM030N







Say stop to músculoskeletal disorders with this hook allowing enhanced manoeuvrability of your large mixers. This hook support is placed directly on the rim of the pot.

Holding hook
For the Master and SMX ranges, included in the dismountable versions.


Item code **SM020** 

## Website

-www.dynamicmixers.com



- ♣ Photos and videos illustrating our products.
- → Download technical sheets and flyers.
- ♣ Discover recipes with DYNAMIC equipment.
- Contact us easily thanks to the complete contact form.



### Online store & Customer service

www.sav-dynamicmixers.com



By creating your Dynamic account, you will be able to :

- ◆ Order the totality of our range (except Turbo liquidizer and Food processor / Electrical vegetal slicers) and our spare parts.
- Access the media library and the professional space.
- → Watch tutorials.

### General sales terms and conditions (Applicable to January 1st 2024)

### 1 - GENERAL TERMS

In the absence of a special written agreement, all purchase orders imply the full and legal acceptance of these terms and conditions by the customer, notwithstanding any terms to the contrary that may feature in the customer's general purchase terms and conditions.

### 2 - ORDERS - QUOTES

Order only become fi nal after written or tacit acceptance by DYNAMIC, hereafter referred to as "the Company". If a quote is provided, the order only becomes final after the quote is returned signed to the Company by letter, fax or any other means of transmission, within eight days of the quote being issued. Any changes to the order or the quote must be the subject of a written agreement between the Company and the customer.

### 3 - LEAD TIMES

Deliveries are made depending on supply and transport availability in the order in which the orders arrive, and according to the indications provided by the Company in its acceptance. The Company is authorised to make total or partial deliveries. Lead times are given for information and are not binding on the Company, especially in the event of force majeure or acts of God. No late delivery may entitle to the application of penalties or the payment of compensation, or deduction from the price or the cancellation of the order. In all cases, a customer shall only receive delivery if their situation relative to the Company is in order.

### 4 - DELIVERIES

Prices are given excluding VAT, FCA, packaging included Unless there is a special indication in the order or the accepted quote, all orders are shipped with transport costs added. At the costs for express delivery are fully payable by the customer who requests this service. The goods become the property of the customer when they leave the Company shop floor, on condition of the application of the ownership clause below. Consequently all transport, customs, insurance and handling operations are at the customer's expense and at their risks and perils. The customer must make sure the delivery is compliant and check for possible damage and missing items and, where applicable, issue the necessary reserves to the relevant organisations and transporters by registered letter with acknowledgement of receipt within 72 hours. The customer shall notify the Company of this.

### 5- RETURNS

Any product returns must be the subject of a prior formal agreement between the Company and the customer. If accepted, 10% will be deducted for costs. Special orders cannot be returned.

### 6 - WARRANTY

The Company is bound to deliver goods that are compliant with the contract and shall respond to compliance faults that are found on delivery. To be compliant with the contract, the goods must:

- Be fit for the purpose expected of a similar item and, where applicable, correspond to the description given by the Company and have the properties that the Company presented to the customer in the form of a sample or model:
- Have the characteristics that a customer may legitimately expect considering the claims made by the Company, especially in advertising;
- Or have the characteristics mutually defi ned between the parties;

- Or be fit for any special purpose sought by the customer, made known to the Company and accepted by the Company; Electric appliances have a one year manufacturing defect warranty starting from the purchase date. The warranty covers all parts and labour. The warranty covers the replacement of any defective parts but does not cover damage from dropping or impacts, damage caused by improper use, incorrect connection to the power supply, or the failure to follow the usage conditions described in the instructions.

#### 7 - PRICE

The prices and information featuring in the catalogues or other Company printed advertising material are only binding on the Company, which reserves the right to make any changes to the sizes, materials or weights of the products presented or described, without any duty to modify products previously delivered or of which the order is ongoing. Goods are invoiced on the basis of the price applicable at the time of the order. Payments are made to the Company headquarters. Unless special terms are agreed, orders are payable in full on shipment of the goods. A discount of 0.5% per full month, generating a proportional reduction in VAT, shall be granted on the total amount excluding VAT in the event of early payment. Any other terms of payment must be the subject of a prior agreement. On failure to pay on the contractual due date, late payment penalties equal to 3 times the legal interest rate shall be due automatically and without notice, starting from the 1st day late. Furthermore, a fixed compensation for debt recovery costs of 40 euros shall be due automatically and without notice. If the debt recovery costs are higher than this amount, additional compensation shall be due on presentation of proof. The Company may also suspend any further deliveries.

### 8 - OWNERSHIP

The Company retains full ownership of the sold goods until full payment by the customer. However, the risks of loss, theft or deterioration of the goods are exclusively borne by the customer as soon as the goods are made available to them. The failure to pay a term may lead to a claim for existing goods.

### 9 - COPYRIGHT

The drawings, models, plans and quotes, and more generally all types of document issued by the Company carry the exclusive copyright of the Company: they may not be communicated or performed without its written authorisation. They must be returned on request by the Company.

### 10 - RENOUNCEMENT

No late delivery, omission or any tolerance by the Company in the exercise of one of its rights resulting from this agreement shall be construed as a renouncement by the Company to the exercise of that right.

### 11 - JURISDICTION

In the event of a dispute, the Company and the customer in question shall undertake arbitration out of court by a single arbitrator, chosen mutually or, failing this, appointed on request from the most diligent party by the President of the Roche-sur-Yon commercial court. The parties renounce all right of appeal against the decision of the arbitrator which shall be final, and undertake to obey the decision without proceedings or exequatur.



Distributed by:



### LINDENBAUM AGENTURER AB

Vintervägen 54 135 40 Tyresö - Sweden

Tel: +46 8 570 347 77

info@lindenbaum.se - www.lindenbaum.se

Please contact the nearest office for any additional information

### **DYNAMIC FRANCE** Société d'études et réalisations mécaniques dite DYNAMIC

518 Rue Léo Backeland, ZI du Puy Nardon BP 57 - 85290 Mortagne-sur-Sèvre France Tel. +33 (0)2 51 63 02 72











e-mail: contact@dynamicmixers.com Siret : SAS - 416450435 - RCS La Roche-surYon : 416 450 435 - Capital : 216 780 €



A NEW ALTERNATIVE FOR YOUR PREPARATIONS DYNAMIC® www.dynamicmixers.com

